## New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Brick Township Residents

		olescent *		Pediat				Tota	
. Current HIV/AIDS Category	Cases	% 		Cases	%			ases	%
AIDS-Any OI	7	12		0	0			7	11
AIDS-CD4 Only	#	#		#	#			24	38
HIV Only	#	#		#	#		_	32	51 
Total	60	100		#	#			63	100
Current . Age * Cases %	3. Race/			Cases				Tota Cases	al %
 <5 0 0		e, Not Hisp		#	 #	#	 #		84
5-12 # #		k, Not Hisp				Ö	0		
13-19 # #	Hispa	anic		#	#		#	#	
20-29 # #		r/Unknown			#	#		#	#
30-39 11 17 40-49 31 49	Total				100		#		100
50+ 16 25	IOCal	L		00	100	#	#	0.5	100
Unk. 0 0									
Total 63 100									
								lodes **	
Patient Group		Males	%		Female	s %		Tota	al
Patient Group Men sex with men (MSM)		Males	%		Female	s %		Tota	al
Patient Group  Men sex with men (MSM) Injection drug user (IDU)		Males  11 11	%  30 30		Female 	s %  0 35		Tota  1	al  11 19
Patient Group  Men sex with men (MSM) Injection drug user (IDU) MSM/IDU		Males  11 11 0	30 30 30		Female0 8 0	s %  0 35 0		Tota  1 1	al  11 19
Patient Group  Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact		Males  11 11 0 5	30 30 30 0		Female0 8 0 9	s % 0 35 0 39		Tota  1 1	al  11 19 0
Patient Group  Men sex with men (MSM) Injection drug user (IDU) MSM/IDU		Males  11 11 0	30 30 30 0 14 27		Female0 8 0 9	s %  0 35 0 39 26		Tota  1 1	al  11 19 0 14
Patient Group  Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		Males  11 11 0 5	30 30 0 14 27		Female0	s % 0 35 0 39 26		Tota  1 1 1 1	al  11 19 0 14
Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		Males  11 11 0 5 10	30 30 0 14 27 		Female 0 8 0 9 6 23	s %  0 35 0 39 26 		Tota 1 1 1 1	al  11 19 0 14
Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other*** Total		Males  11 11 0 5 10	%  30 30 0 14 27  100	diatric	Female 0 8 0 9 6 23	s % 0 355 0 399 266 100 issions %	n Mod	Tota 1 1 1 1 6	al  11 19 0 14 16 
Patient Group  Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		Males 11 11 0 5 10 37	% 30 30 0 14 27 100	diatric	Female	s % 0 355 0 399 266 100 issions %	n Mod	Tota	al  11 19 0 14 16 
Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other*** Total		Males 11 11 0 5 10 37	% 30 30 0 14 27 100	diatric	Female #	s % 0 35 0 39 26 100 s % # 0	n Mod	Tota	al  11 19 0 14 16  50

NOTE: Includes only those persons known to be infected with HIV.

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of June 2004.
- \*\* O patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

----# #

# #

 $\ensuremath{^{\star\star\star}}$  Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

## New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Brick Township Residents

				Adult/Adol	escent*		Ped	liatric*			To	tal
1.	Disease Ca	ategory	Cas	ses (%)	Deaths (%)	Cases	(%)	Death	ıs (%)	Cases	(%)	Deaths (%)
	PCP Other OI w KS Alone No Disease			31 ( 32) # ( #) # ( #) 45 ( 46)	27 ( 90) # ( #) # ( #) 21 ( 54)	0	( .) ( .) ( .) ( .)	0	( .)	#	( 32) ( #) ( #) ( 46)	27 ( 90) # ( #) # ( #) 21 ( 54)
	Total			97 (100)	66 ( 73)	0	( .)		( .)	97	(100)	66 ( 73)
2.	Age *	Cases	olo	3. Race/	Eth.	Adult/Ad Cases %		Pediatr Cases	ic*	Total Cases	9	
	Under 5	0	0	White	, Not Hispanic	85	88			8.	 5 88	
	5-12	0	0		, Not Hispanic	#	#	0			# #	
	13-19	0	0	Hispa	· •	#		0		:	# #	
	20-29	12	12	-	/Unknown	0	0	0	•		0	
	30-39	43	44									
	40-49	28	29	Total		97 1	00	0		9.	7 100	
	Over 49	14	14									
	Unknown	0	0									

Adult/Adolescent Transmission Modes \*\*

4. Patient Gro	oup
----------------	-----

Total 97 100

Males		용	Females	용	Total	용
Men sex with men (MSM)	9	26	0	0	19	20
Injection drug user (IDU) 34	4	47	9	36	43	44
MSM/IDU #	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	3	18	9	36	22	23
Total 72	2 1	00	25	100	97	100

	Pediatric Transmission Modes Males % Females %				용
Parent at risk/has AIDS/HIV	0		0 .	0	
Risk not reported/other***	0	•	0 .	0	•
Total	0		0 .	0	

<sup>#</sup> indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

<sup>\*</sup> Classification at time of AIDS diagnosis.

<sup>\*\* 0</sup> patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

<sup>\*\*\*</sup> Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

## New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Brick Township Residents

## 5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	#	#	#
1989	9	9	100%
1990	#	#	#
1991	8	6	75%
1992	12	12	100%
1993	10	6	60%
1994	10	7	70%
1995	6	#	#
1996	#	#	#
1997	6	#	#
1998	#	#	#
1999	#	#	#
2000	#	#	#
2001	#	#	#
2002	#	#	#
2003	5	#	#
Total	97	66	68%